

Moths recorded at Holtspur Bottom

Code	Taxon	Vernacular	Authority	Status
14	<i>Hepialus humuli</i>	Ghost Moth	(Linnaeus, 1758)	Common
15	<i>Hepialus sylvina</i>	Orange Swift	(Linnaeus, 1761)	Common
147	<i>Nemophora metallica</i>		(Poda, 1761)	Nationally Scarce B
169	<i>Zygaena filipendulae</i>	Six-spot Burnet	(Linnaeus, 1758)	Common
171	<i>Zygaena lonicerae</i>	Narrow-bordered Five-spot Burnet	(Scheven, 1777)	Common
186	<i>Psyche casta</i>		(Pallas, 1767)	Common
246	<i>Tinea semifulvella</i>		Haworth, 1828	Common
419	<i>Argyresthia semifusca</i>		(Haworth, 1828)	Common
441	<i>Paraswammerdamia nebulella</i>		(Goeze, 1783)	Common
481	<i>Epermenia falciformis</i>		(Haworth, 1828)	Local
648	<i>Endrosis sarcitrella</i>		(Linnaeus, 1758)	Common
649	<i>Esperia sulphurella</i>		(Fabricius, 1775)	Common
668	<i>Luquetia lobella</i>		([Denis & Schiffermüller], 1775)	Local
724	<i>Metzneria lappella</i>		(Linnaeus, 1758)	Local
765	<i>Teleiodes vulgella</i>		([Denis & Schiffermüller], 1775)	Common
782	<i>Bryotropha senectella</i>		(Zeller, 1839)	Local
840	<i>Thiotricha subocellea</i>		(Stephens, 1834)	Nationally Scarce B
874	<i>Blastobasis lacticolella</i>		Rebel, 1940	Common
937	<i>Agapeta hamana</i>		(Linnaeus, 1758)	Common
938	<i>Agapeta zoegana</i>		(Linnaeus, 1767)	Common
954	<i>Eupoecilia angustana</i>		(Hübner, 1799)	Common
965	<i>Cochylis hybridella</i>		(Hübner, 1813)	Local
969	<i>Pandemis corylana</i>		(Fabricius, 1794)	Common
970	<i>Pandemis cerasana</i>		(Hübner, 1786)	Common
972	<i>Pandemis heparana</i>		([Denis & Schiffermüller], 1775)	Common
977	<i>Archips podana</i>		(Scopoli, 1763)	Common
998	<i>Epiphyas postvittana</i>		(Walker, 1863)	Common
1000	<i>Ptycholoma lecheana</i>		(Linnaeus, 1758)	Common
1011	<i>Pseudargyrotoza conwagana</i>		(Fabricius, 1775)	Common
1020	<i>Cnephasia stephensiana</i>		(Doubleday, 1849)	Common

1021	<i>Cnephasia asseclana</i>	([Denis & Schiffermüller], 1775)	Common
1033	<i>Tortrix viridana</i>	Linnaeus, 1758	Common
1035	<i>Acleris bergmanniana</i>	(Linnaeus, 1758)	Common
1076	<i>Celypha lacunana</i>	([Denis & Schiffermüller], 1775)	Common
1082	<i>Hedya pruniana</i>	(Hübner, 1799)	Common
1092	<i>Apotomis turbidana</i>	(Hübner, 1825)	Common
1099	<i>Endothenia marginana</i>	(Haworth, 1811)	Common
1108	<i>Lobesia abscisana</i>	(Doubleday, 1849)	Common
1159	<i>Rhopobota naevana</i>	(Hübner, 1817)	Common
1165	<i>Zeiraphera isertana</i>	(Fabricius, 1794)	Common
1174	<i>Epiblema cynosbatella</i>	(Linnaeus, 1758)	Common
1175	<i>Epiblema uddmanniana</i>	(Linnaeus, 1758)	Common
1176	<i>Epiblema trimaculana</i>	(Haworth, 1811)	Common
1184	<i>Epiblema scutulana</i>	([Denis & Schiffermüller], 1775)	Common
1200	<i>Eucosma hohenwartiana</i>	([Denis & Schiffermüller], 1775)	Common
1201	<i>Eucosma cana</i>	(Haworth, 1811)	Common
1202	<i>Eucosma obumbratana</i>	(Lienig & Zeller, 1846)	Local
1219	<i>Lathronympha strigana</i>	(Fabricius, 1775)	Common
1293	<i>Chrysoteuchia culmella</i>	(Linnaeus, 1758)	Common
1294	<i>Crambus pascuella</i>	(Linnaeus, 1758)	Common
1301	<i>Crambus lathoniellus</i>	(Zincken, 1817)	Common
1302	<i>Crambus perlella</i>	(Scopoli, 1763)	Common
1304	<i>Agriphila straminella</i>	([Denis & Schiffermüller], 1775)	Common
1305	<i>Agriphila tristella</i>	([Denis & Schiffermüller], 1775)	Common
1331	<i>Acentria ephemerella</i>	([Denis & Schiffermüller], 1775)	Common
1361	<i>Pyrausta aurata</i>	(Scopoli, 1763)	Common
1362	<i>Pyrausta purpuralis</i>	(Linnaeus, 1758)	Common
1376	<i>Eurrhyncha hortulata</i>	(Linnaeus, 1758)	Common
1378	<i>Phlyctaenia coronata</i>	(Hufnagel, 1767)	Common
1392	<i>Udea olivalis</i>	([Denis & Schiffermüller], 1775)	Common
1405	<i>Pleuroptya ruralis</i>	(Scopoli, 1763)	Common
1413	<i>Hypsopygia costalis</i>	(Fabricius, 1775)	Common
1439	<i>Trachycera advenella</i>	(Zincken, 1818)	Common

1457 <i>Hypochoalcia ahenella</i>		([Denis & Schiffermüller], 1775)	Nationally Scarce B
1458 <i>Myelois circumvoluta</i>		(Fourcroy, 1785)	Common
1481 <i>Homoeosoma sinuella</i>		(Fabricius, 1794)	Common
1495 <i>Marasmarcha lunaedactyla</i>		(Haworth, 1811)	Local
1509 <i>Stenoptilia pterodactyla</i>		(Linnaeus, 1761)	Common
1512 <i>Merrifieldia baliodactylus</i>		(Zeller, 1841)	Nationally Scarce B
1513 <i>Pterophorus pentadactyla</i>		(Linnaeus, 1758)	Common
1524 <i>Emmelina monodactyla</i>		(Linnaeus, 1758)	Common
1646 <i>Watsonalla binaria</i>	Oak Hook-tip	(Hufnagel, 1767)	Common
1648 <i>Drepana falcataria</i>	Pebble Hook-tip	(Linnaeus, 1758)	Common
1651 <i>Cilix glaucata</i>	Chinese Character	(Scopoli, 1763)	Common
1652 <i>Thyatira batis</i>	Peach Blossom	(Linnaeus, 1758)	Common
1653 <i>Habrosyne pyritoides</i>	Buff Arches	(Hufnagel, 1766)	Common
1666 <i>Geometra papilionaria</i>	Large Emerald	(Linnaeus, 1758)	Common
1669 <i>Hemithea aestivaria</i>	Common Emerald	(Hübner, 1799)	Common
1673 <i>Hemistola chrysoprasaria</i>	Small Emerald	(Esper, 1794)	Local
1690 <i>Scopula imitaria</i>	Small Blood-vein	(Hübner, 1799)	Common
1702 <i>Idaea biselata</i>	Small Fan-footed Wave	(Hufnagel, 1767)	Common
1713 <i>Idaea aversata</i>	Riband Wave	(Linnaeus, 1758)	Common
1724 <i>Xanthorhoe spadicearia</i>	Red Twin-spot Carpet	([Denis & Schiffermüller], 1775)	Common
1727 <i>Xanthorhoe montanata</i>	Silver-ground Carpet	([Denis & Schiffermüller], 1775)	Common
1728 <i>Xanthorhoe fluctuata</i>	Garden Carpet	(Linnaeus, 1758)	Common
1732 <i>Scotopteryx chenopodiata</i>	Shaded Broad-bar	(Linnaeus, 1758)	Common
1738 <i>Epirrhoe alternata</i>	Common Carpet	(Müller, 1764)	Common
1742 <i>Camptogramma bilineata</i>	Yellow Shell	(Linnaeus, 1758)	Common
1747 <i>Anticlea derivata</i>	Streamer	([Denis & Schiffermüller], 1775)	Common
1752 <i>Cosmorhoe ocellata</i>	Purple Bar	(Linnaeus, 1758)	Common
1759 <i>Ecliptopera silaceata</i>	Small Phoenix	([Denis & Schiffermüller], 1775)	Common
1764 <i>Chloroclysta truncata</i>	Common Marbled Carpet	(Hufnagel, 1767)	Common
1765 <i>Cidaria fulvata</i>	Barred Yellow	(Forster, 1771)	Common
1769 <i>Thera britannica</i>	Spruce Carpet	(Turner H J, 1925)	Common
1773 <i>Electrophaes corylata</i>	Broken-barred Carpet	(Thunberg, 1792)	Common
1776 <i>Colostygia pectinataria</i>	Green Carpet	(Knoch, 1781)	Common

1777	<i>Hydriomena furcata</i>	July Highflyer	(Thunberg, 1784)	Common
1781	<i>Horisme vitalbata</i>	Small Waved Umber	([Denis & Schiffermüller], 1775)	Common
1791	<i>Philereme vetulata</i>	Brown Scallop	([Denis & Schiffermüller], 1775)	Local
1792	<i>Philereme transversata</i>	Dark Umber	(Hufnagel, 1767)	Local
1799	<i>Operophtera brumata</i>	Winter Moth	(Linnaeus, 1758)	Common
1803	<i>Perizoma alchemillata</i>	Small Rivulet	(Linnaeus, 1758)	Common
1804	<i>Perizoma bifaciata</i>	Barred Rivulet	(Haworth, 1809)	Local
1808	<i>Perizoma flavofasciata</i>	Sandy Carpet	(Thunberg, 1792)	Common
1813	<i>Eupithecia haworthiata</i>	Haworth's Pug	Doubleday, 1856	Local
1817	<i>Eupithecia pulchellata</i>	Foxglove Pug	Stephens, 1831	Common
1819	<i>Eupithecia exiguata</i>	Mottled Pug	(Hübner, 1809-13)	Common
1830	<i>Eupithecia absinthiata</i>	Wormwood Pug	(Clerck, 1759)	Common
1835	<i>Eupithecia tripunctaria</i>	White-spotted Pug	Herrich-Schäffer, 1852	Local
1839	<i>Eupithecia succenturiata</i>	Bordered Pug	(Linnaeus, 1758)	Common
1852	<i>Eupithecia abbreviata</i>	Brindled Pug	Stephens, 1831	Common
1853	<i>Eupithecia dodoneata</i>	Oak-tree Pug	Guenée, 1857	Common
1860	<i>Pasiphila rectangulata</i>	Green Pug	(Linnaeus, 1758)	Common
1862	<i>Gymnoscelis rufifasciata</i>	Double-striped Pug	(Haworth, 1809)	Common
1867	<i>Aplocera plagiata</i>	Treble-bar	(Linnaeus, 1758)	Common
1875	<i>Asthena albulata</i>	Small White Wave	(Hufnagel, 1767)	Common
1876	<i>Hydrelia flammeolaria</i>	Small Yellow Wave	(Hufnagel, 1767)	Common
1888	<i>Ligdia adustata</i>	Scorched Carpet	([Denis & Schiffermüller], 1775)	Local
1906	<i>Opisthograptis luteolata</i>	Brimstone Moth	(Linnaeus, 1758)	Common
1914	<i>Ennomos fuscantaria</i>	Dusky Thorn	(Haworth, 1809)	Common
1920	<i>Odontopera bidentata</i>	Scalloped Hazel	(Clerck, 1759)	Common
1921	<i>Crocallis elinguaris</i>	Scalloped Oak	(Linnaeus, 1758)	Common
1922	<i>Ourapteryx sambucaria</i>	Swallow-tailed Moth	(Linnaeus, 1758)	Common
1931	<i>Biston betularia</i>	Peppered Moth	(Linnaeus, 1758)	Common
1933	<i>Agriopis aurantiaria</i>	Scarce Umber	(Hübner, 1799)	Common
1934	<i>Agriopis marginaria</i>	Dotted Border	(Fabricius, 1777)	Common
1936	<i>Menophra abruptaria</i>	Waved Umber	(Thunberg, 1792)	Common
1937	<i>Peribatodes rhomboidaria</i>	Willow Beauty	([Denis & Schiffermüller], 1775)	Common
1941	<i>Alcis repandata</i>	Mottled Beauty	(Linnaeus, 1758)	Common

1947	<i>Ectropis bistortata</i>	Engrailed	(Goeze, 1781)	Common
1955	<i>Cabera pusaria</i>	Common White Wave	(Linnaeus, 1758)	Common
1956	<i>Cabera exanthemata</i>	Common Wave	(Scopoli, 1763)	Common
1958	<i>Lomographa temerata</i>	Clouded Silver	([Denis & Schiffermüller], 1775)	Common
1961	<i>Campaea margaritata</i>	Light Emerald	(Linnaeus, 1767)	Common
1981	<i>Laothoe populi</i>	Poplar Hawk-moth	(Linnaeus, 1758)	Common
1991	<i>Deilephila elpenor</i>	Elephant Hawk-moth	(Linnaeus, 1758)	Common
1992	<i>Deilephila porcellus</i>	Small Elephant Hawk-moth	(Linnaeus, 1758)	Local
2003	<i>Notodonta ziczac</i>	Pebble Prominent	(Linnaeus, 1758)	Common
2008	<i>Ptilodon capucina</i>	Coxcomb Prominent	(Linnaeus, 1758)	Common
2011	<i>Pterostoma palpina</i>	Pale Prominent	(Clerck, 1759)	Common
2015	<i>Drymonia ruficornis</i>	Lunar Marbled Brown	(Hufnagel, 1766)	Common
2028	<i>Calliteara pudibunda</i>	Pale Tussock	(Linnaeus, 1758)	Common
2030	<i>Euproctis similis</i>	Yellow-tail	(Fuessly, 1775)	Common
2044	<i>Eilema griseola</i>	Dingy Footman	(Hübner, 1803)	Common
2047	<i>Eilema complana</i>	Scarce Footman	(Linnaeus, 1758)	Local
2050	<i>Eilema lurideola</i>	Common Footman	(Zincken, 1817)	Common
2060	<i>Spilosoma lubricipeda</i>	White Ermine	(Linnaeus, 1758)	Common
2061	<i>Spilosoma luteum</i>	Buff Ermine	(Hufnagel, 1766)	Common
2064	<i>Phragmatobia fuliginosa</i>	Ruby Tiger	(Linnaeus, 1758)	Common
2069	<i>Tyria jacobaeae</i>	Cinnabar	(Linnaeus, 1758)	Common
2077	<i>Nola cucullatella</i>	Short-cloaked Moth	(Linnaeus, 1758)	Common
2078	<i>Nola confusalis</i>	Least Black Arches	(Herrich-Schäffer, 1847)	Local
2088	<i>Agrotis clavis</i>	Heart and Club	(Hufnagel, 1766)	Common
2089	<i>Agrotis exclamationis</i>	Heart and Dart	(Linnaeus, 1758)	Common
2092	<i>Agrotis puta</i>	Shuttle-shaped Dart	(Hübner, 1803)	Common
2098	<i>Axylia putris</i>	Flame	(Linnaeus, 1761)	Common
2102	<i>Ochropleura plecta</i>	Flame Shoulder	(Linnaeus, 1761)	Common
2107	<i>Noctua pronuba</i>	Large Yellow Underwing	Linnaeus, 1758	Common
2109	<i>Noctua comes</i>	Lesser Yellow Underwing	Hübner, 1813	Common
2110	<i>Noctua fimbriata</i>	Broad-bordered Yellow Underwing	(Schreber, 1759)	Common
2111	<i>Noctua janthe</i>	Lesser Broad-bordered Yellow Underwing	Borkhausen, 1792	Common
2122	<i>Diarsia brunnea</i>	Purple Clay	([Denis & Schiffermüller], 1775)	Common

2123	<i>Diarsia rubi</i>	Small Square-spot	(Vieweg, 1790)	Common
2126	<i>Xestia c-nigrum</i>	Setaceous Hebrew Character	(Linnaeus, 1758)	Common
2128	<i>Xestia triangulum</i>	Double Square-spot	(Hufnagel, 1766)	Common
2134	<i>Xestia xanthographa</i>	Square-spot Rustic	([Denis & Schiffermüller], 1775)	Common
2147	<i>Hada plebeja</i>	Shears	(Hufnagel, 1766)	Common
2155	<i>Melanchra persicariae</i>	Dot Moth	(Linnaeus, 1761)	Common
2157	<i>Lacanobia w-latinum</i>	Light Brocade	(Hufnagel, 1766)	Local
2160	<i>Lacanobia oleracea</i>	Bright-line Brown-eye	(Linnaeus, 1758)	Common
2164	<i>Hecatera bicolorata</i>	Broad-barred White	(Hufnagel, 1766)	Common
2166	<i>Hadena rivularis</i>	Campion	(Fabricius, 1775)	Common
2187	<i>Orthosia cerasi</i>	Common Quaker	(Fabricius, 1775)	Common
2188	<i>Orthosia incerta</i>	Clouded Drab	(Hufnagel, 1766)	Common
2190	<i>Orthosia gothica</i>	Hebrew Character	(Linnaeus, 1758)	Common
2192	<i>Mythimna conigera</i>	Brown-line Bright Eye	([Denis & Schiffermüller], 1775)	Common
2193	<i>Mythimna ferrago</i>	Clay	(Fabricius, 1787)	Common
2198	<i>Mythimna impura</i>	Smoky Wainscot	(Hübner, 1808)	Common
2199	<i>Mythimna pallens</i>	Common Wainscot	(Linnaeus, 1758)	Common
2205	<i>Mythimna comma</i>	Shoulder-striped Wainscot	(Linnaeus, 1761)	Common
2219	<i>Shargacucullia lychnitis</i>	Striped Lychnis	Rambur, 1833	Nationally Scarce A & UK BAP Species
2221	<i>Shargacucullia verbasci</i>	Mullein	(Linnaeus, 1758)	Common
2232	<i>Aporophyla nigra</i>	Black Rustic	(Haworth, 1809)	Common
2235	<i>Lithophane semibrunnea</i>	Tawny Pinion	(Haworth, 1809)	Local
2248	<i>Dryobotodes eremita</i>	Brindled Green	(Fabricius, 1775)	Common
2284x	<i>Acronicta tridens/psi</i>	Dark Dagger / Grey Dagger		Common
2289	<i>Acronicta rumicis</i>	Knot Grass	(Linnaeus, 1758)	Common
2291	<i>Craniophora ligustri</i>	Coronet	([Denis & Schiffermüller], 1775)	Local
2293	<i>Cryphia domestica</i>	Marbled Beauty	(Hufnagel, 1766)	Common
2297	<i>Amphipyra pyramidea</i>	Copper Underwing	(Linnaeus, 1758)	Common
2298	<i>Amphipyra berbera</i>	Svensson's Copper Underwing	Fletcher, 1968	Common
2303	<i>Thalpophila matura</i>	Straw Underwing	(Hufnagel, 1766)	Common
2305	<i>Euplexia lucipara</i>	Small Angle Shades	(Linnaeus, 1758)	Common
2318	<i>Cosmia trapezina</i>	Dun-bar	(Linnaeus, 1758)	Common
2319	<i>Cosmia pyralina</i>	Lunar-spotted Pinion	([Denis & Schiffermüller], 1775)	Local

2321 <i>Apamea monoglypha</i>	Dark Arches	(Hufnagel, 1766)	Common
2322 <i>Apamea lithoxyla</i>	Light Arches	([Denis & Schiffermüller], 1775)	Common
2323 <i>Apamea sublustris</i>	Reddish Light Arches	(Esper, 1788)	Local
2330 <i>Apamea remissa</i>	Dusky Brocade	(Hübner, 1809)	Common
2337 <i>Oligia strigilis</i>	Marbled Minor	(Linnaeus, 1758)	Common
2339 <i>Oligia latruncula</i>	Tawny Marbled Minor	([Denis & Schiffermüller], 1775)	Common
2340 <i>Oligia fasciuncula</i>	Middle-barred Minor	(Haworth, 1809)	Common
2343 <i>Mesapamea secalis</i>	Common Rustic	(Linnaeus, 1758)	Common
2352 <i>Eremobia ochroleuca</i>	Dusky Sallow	([Denis & Schiffermüller], 1775)	Common
2360 <i>Amphipoea oculea</i>	Ear Moth	(Linnaeus, 1761)	Common
2361 <i>Hydraecia micacea</i>	Rosy Rustic	(Esper, 1789)	Common
2364 <i>Gortyna flavago</i>	Frosted Orange	([Denis & Schiffermüller], 1775)	Common
2380 <i>Charanyca trigrammica</i>	Treble Lines	(Hufnagel, 1766)	Common
2382 <i>Hoplodrina blanda</i>	Rustic	([Denis & Schiffermüller], 1775)	Common
2410 <i>Protodeltote pygarga</i>	Marbled White Spot	(Hufnagel, 1766)	Common
2423 <i>Nycteola revayana</i>	Oak Nycteoline	(Scopoli, 1772)	Local
2425 <i>Colocasia coryli</i>	Nut-tree Tussock	(Linnaeus, 1758)	Common
2434 <i>Diachrysia chrysitis</i>	Burnished Brass	(Linnaeus, 1758)	Common
2441 <i>Autographa gamma</i>	Silver Y	(Linnaeus, 1758)	Common
2442 <i>Autographa pulchrina</i>	Beautiful Golden Y	(Haworth, 1809)	Common
2443 <i>Autographa jota</i>	Plain Golden Y	(Linnaeus, 1758)	Common
2450 <i>Abrostola tripartita</i>	Spectacle	(Hufnagel, 1766)	Common
2462 <i>Callistege mi</i>	Mother Shipton	(Clerck, 1759)	Common
2463 <i>Euclidia glyphica</i>	Burnet Companion	(Linnaeus, 1758)	Common
2473 <i>Laspeyria flexula</i>	Beautiful Hook-tip	([Denis & Schiffermüller], 1775)	Local
2474 <i>Rivula sericealis</i>	Straw Dot	(Scopoli, 1763)	Common
2477 <i>Hypena proboscidalis</i>	Snout	(Linnaeus, 1758)	Common
2489 <i>Zanclognatha tarsipennalis</i>	Fan-foot	(Treitschke, 1835)	Common
2492 <i>Herminia grisealis</i>	Small Fan-foot	([Denis & Schiffermüller], 1775)	Common

Status information:

Common
Local

Occurs in more than 300 10km squares in the United Kingdom
Occurs in 101-300 10km squares

Nationally Scarce B list
Nationally Scarce A list
Red Data Book 3 (RDB 3)
Red Data Book 2 (RDB 2)
Red Data Book 1 (RDB 1)
Potential Red Data Book K (pRDB K)

Occurs in 31-100 10km squares
Occurs in 16-30 10km squares
Occurs in 11-15 10km squares
Occurs in 6-10 10km squares
Occurs in 5 or fewer 10km squares
Suspected Red Data Book species but insufficient information available